

~~PALM PAD SYSTEM~~

RELATED APPLICATIONS

This application claims priority from Provisional Application No. 60/114,521 filed December 31, 1999 and Provisional Application No. 60/135,894 filed May 26, 1999 both of which are herein incorporated by reference.

FIELD OF THE INVENTION

The present invention relates to a method and apparatus for providing electronic storage and retrieval of handwritten notes. More particularly, it relates to a method and apparatus for providing electronic storage and retrieval of handwritten notes, along with other drawings, in an electronic device such as a personal digital device (PDD).

BACKGROUND

Personal digital devices ("PDD") have become extremely popular for recording, storing and retrieving information. Examples of PDDs include personal computers, such as laptop computers and handheld computer devices having a display area and an input area. In one version of a handheld computer device, a user inputs information in the input area by writing with a specialized pen. The pen does not mark on the input area, but the PDD converts the writing to electronic information through a resistive contact surface. According to a common version of a PDD, the user writes in a specialized manner to represent alpha-numeric characters. Movement of the pen on the resistive contact surface is recognized by the PDD and converted into a corresponding character. Each character is created at the same location on the resistive contact surface. The characters are then displayed in the display area of the PDD. Depending upon the operation of the PDD the characters are stored in various formats to record information, such as names, addresses, telephone numbers, appointments, and notes. The PDD can be connected to another electronic device, such as a personal computer, for exchanging information with the other device.

While many PDDs are desirable because they are compact and portable, one drawback of typical prior art PDDs is that they use specialized writing systems that can be awkward to learn and may be hard for some users to master. Also, in typical prior art PDDs markings do not appear on the resistive contact surface during writing thereon. As a result, it can be difficult for users to track their writing motions to obtain the correct characters. Furthermore, non-character

marks typically cannot be made or stored in prior art PDDs. Thus, drawings cannot be entered into the PDD. In addition, a PDD user typically enters characters one at a time, significantly limiting the speed with which one can take notes or record information. Therefore, a need exists for a PDD which allows users to write in a more fluid and familiar manner and to include non-
5 characters in their writing. In other words, a need exists for a PDD that records free-hand writing and/or drawing.

Various devices have been developed to convert written documents into electronic forms in order to reduce storage space and retrieval time. For example, scanners can convert previously existing documents into an electronic format for storage and retrieval. In addition, a personal
10 computer using certain software packages can allow a user to input data, e.g., to create an original document such as a drawing. The user can input data in a variety of ways, e.g., using a mouse on a desktop. The personal computer can display the original document on a screen. Furthermore, the personal computer can store the input data in memory or on a magnetic storage disk.

Similarly, computers with touch screens and pads allow a user to create input data, e.g., to
15 create an original document such as a handwritten note or a drawing, using a finger or stylus. Again, the computer can display the document on a screen and/or store it in an electronic format. However, creating an original document using one of these methods is somewhat awkward. The instrument used to mark on the touch screen or pad does not make a mark, and typically the user
20 has to watch a separate display screen to observe what is recorded as a result of the writing motion.

A.T. Cross of Lincoln R.I. has a product, sold under the name Crosspad[®], which converts handwritten documents into electronic form. The product includes a conventional notepad combined with a unique pen and printed circuit board assembly ("PCBA") for the notepad. The
25 user writes on the pad using the pen. The pen has an ink tip which can be used to make marks on the pad. The pen also includes a RF transmitter. The RF transmitter operates in conjunction with the PCBA for the pad to translate pen movement into electronic signals representing the user's writing motion. A switch in the pen turns the transmitter on when the pen is in contact with the pad. The switch is activated as a result of the force exerted by the pad on the tip of the
30 pen. This system can be used to make electronic copies of handwritten notes. The electronic copies can then be stored and retrieved for later use. The user can write on the pad in an ordinary manner.

However, a need still remains for a system which allows storage, retrieval and searching of content in electronic copies of handwritten information. In addition, a need exists for a

portable PDD system that allows for the creation, storage, searching, and retrieval of handwritten information.

SUMMARY OF THE INVENTION

5 An object of the present invention is to set forth a palm pad system that overcomes deficiencies and limitations of the prior art.

 In accordance with embodiments of the present invention, the palm pad system comprises an electronic notepad coupled to a conventional PDD. The electronic notepad and the PDD are retained in position on a common base. The electronic notepad includes an integrated printed
10 circuit board having a plurality of etched loops formed thereon. The etched loops are uniformly distributed over the surface of the board and define an X-grid pattern and a Y-grid pattern. The X-grid pattern and Y-grid pattern are receptive to signals generated by a source, which source is positioned in close proximity to the grid patterns defined on the notepad. The electronic notepad further includes a paper-pad, which is securely mounted adjacent to the printed circuit board.

15 The source for generating the signals can be an electromechanical transmitter, which transmitter is mounted in an elongated pen. The pen further includes a first end having a conventional retractable writing tip, such as a ball point pen tip, for marking on paper. The writing tip is coupled to the electromechanical transmitter via a micro-switch. The micro-switch is pressure actuated so that when the writing tip is pressed against a writing surface, such as the
20 paper-pad, the transmitter coupled therewith is enabled for generating the signal. The signal is sensed by the X-grid pattern and the Y-grid pattern. The signal sensed by the X-grid pattern and the Y-grid pattern is further processed by electronics coupled therewith to determine the relative location of the writing tip with respect to the paper-pad. When a user composes handwritten data by moving the writing tip of the pen over the paper-pad, the relative locations of the writing tip
25 are processed to concomitantly reproduce and electronically display the handwritten data on a display associated with the PDD. The electronically reproduced data can further be saved as an electronic file, which file can be retrieved at a later time.

 The pen further includes a cap having an aperture with a retractable non-writing tip mounted therein. When the cap is positioned over the writing tip, which is defined at the first
30 end of the pen, the non-writing tip cooperates with the first end of the pen to force the non-writing tip into a retracted position defined in the cap. When the cap is positioned over a second end of the pen, the non-writing tip cooperates with the second end of the pen to force the non-writing tip, which tip is defined in the cap, to extend outwardly from the aperture defined on the cap.

In another embodiment, the palm pad system for enabling a user to electronically display, store, and retrieve hand written data comprises a means for converting handwritten data into an electronic file. The means for converting handwritten data into an electronic file is retained on a base. The palm pad system further comprises a means for receiving and processing the electronic file. The means for receiving and processing the electronic file is also retained on the base. The means for receiving and processing the electronic file is constructed and arranged to display, store, and retrieve the electronic file. In an embodiment, the means for receiving and processing the electronic file comprises a means for displaying the electronic file; a means for storing the electronic file; a means for retrieving the electronic file; and a control means for controlling the displaying, storing and retrieving of the electronic file.

BRIEF DESCRIPTION OF THE DRAWINGS

The foregoing and other objects of this invention, the various features thereof, as well as the invention itself, may be more fully understood from the following description, when read together with the accompanying drawings in which:

Fig. 1 (a) is a planar view of a palm pad system in accordance with one embodiment of the present invention;

Fig. 1 (b) is a planar view of an integrated printed circuit board assembly included in the palm pad system shown in Fig. 1 (a);

Fig. 2 (a) is an isometric view of the palm pad system shown in Fig. 1 (a);

Fig. 2 (b) is a folded view of the palm pad system shown in Fig. 2 (a);

Fig. 2 (c) is a side view of the palm pad system shown in Fig. 2 (b);

Fig. 3 (a) is an isometric view of one embodiment of a pen, which is adapted to cooperate with the palm pad system of Fig. 1 (a);

Fig. 3 (b) is a cross sectional view of the pen shown in Fig. 3 (a);

Fig. 4 (a) is an isometric view of another embodiment of a pen, which is adapted to cooperate with the palm pad system of the present invention;

Fig. 4 (b) is a cross sectional view of the pen shown in Fig. 4 (a);

Figs. 5 (a), 5 (b), 5 (c), and 5 (d) shows various views of a PDD integrated with a flip-down electronic notepad in accordance with another embodiment of the present invention;

Fig. 6 is an isometric view of a laptop computer integrated with an electronic notepad; and

Fig. 7 is a planar view of a fully integrated palm pad system.

DETAILED DESCRIPTION

In accordance with embodiments of the present invention, a portable palm pad system is set forth for enabling a user to electronically display, store, and retrieve hand written data.

Referring to Fig. 1 (a), portable palm pad system 5 in accordance with one embodiment of the present invention comprises electronic notepad 10 coupled to a conventional PDD 15. Palm pad system 5 further includes pen 200, which is shown in Figs. 3 and 4, and will be described in detail later. Referring again to Fig. 1 (a), one example of a conventional PDD 15 is a Palm Pilot™ which is manufactured by 3COM. Electronic notepad 10 and PDD 15 coupled therewith are mounted on common base 20. Generally, PDD 15 includes a microprocessor (not shown), memory (not shown), display area 25 and input area 30. Display area 25 is typically comprised of a touch sensitive liquid crystal display ("LCD") 25a. Input area 30 typically has a number of control buttons 30a which a user can actuate to enter or display data on LCD 25a. When displaying data on the touch sensitive LCD 25a associated with PDD 15 or when entering data into PDD 15 via control buttons 30a or touch sensitive LCD 25a, conventional software, which is stored in the memory defined in PDD 15, is executed to manage data entry or data displaying operations. One example of such software is IBM's Ink Manager™ software, which provides note editing, searching, organization and sharing tools. The control buttons 30a, LCD 25a and software are all associated with the PDD 15 and are known to those of ordinary skill in the art.

Referring further to Fig. 1 (b), electronic notepad 10 defined on palm pad system 5 includes integrated printed circuit board assembly ("PCBA") 35 adapted to securely hold an ordinary paper-pad 40 thereon. Paper-pad 40 can be written on just like any other ordinary paper-pad. PCBA 35 includes a plurality of etched loops 36 formed thereon. Etched loops 36 are uniformly distributed over the surface of PCBA 35 and form an X-grid pattern (not shown) and a Y-grid pattern (not shown). The X-grid pattern and the Y-grid pattern are coupled with position determining electronics (not shown). The PCBA 35 is powered parasitically through data bus 45 to PDD 15. Of course, many other methods can be employed to provide power to PCBA 35, including a separate power source. In an embodiment, the notepad includes four AAA batteries (not shown) that allow the notepad to operate for 3-4 months with moderate use.

Electronic notepad 10 and PDD 15 are coupled through an interface 50. According to an embodiment of the invention, interface 50 is a standard RS232 interface. As noted above, notepad 10 and PDD 15 can use a variety of communications technologies. PCBA 35 contained within notepad 10 transmits position and status information to PDD 15 through the interface 50 via data bus 45. The position and status information can include separate X and Y coordinates of

pen 200 (Figs. 3 and 4), which is adapted to cooperate with notepad 10, and the status of micro-switch 240 (Figs. 3 and 4) contained pen 200 (Figs. 3 and 4). Furthermore, information directed to actuation of various controls on notepad 55 can be communicated to PDD 15. Although not shown in the drawings, other interfaces can be employed to form a communication channel
5 between electronic notepad 10 and PDD 15, for example, a substantially flat interface (not shown) can be integrated with the common base 20.

PDD 15 further includes software which operates to interpret the position and status information provided by PCBA 35. The software converts the position and status information received from PCBA 35 into an electronic copy of markings or writings composed by a user on
10 paper-pad 40. The electronic copy of the markings or writings composed by the user can then be stored, retrieved and/or displayed on PDD 15, as with any other data received by the PDD. Alternatively, notepad 10 can include software or hardware for processing the position and status information to create electronic copies of markings or writings composed on the pad by a user. Then, only the electronic copies would be transferred to PDD 15 for storage, retrieval and
15 display.

Referring to Fig. 2 (a), in an embodiment of the present invention, common base 20 includes PDD retaining surface 20a and notepad retaining surface 20b. Common base 20 can be formed of various materials including: leather, ballistic nylon and synthetics. PDD retaining surface 20a and notepad retaining surface 20b are coupled by a flexible section 20c. Flap 60
20 defined on common base 20 substantially encloses and protects interface 50 (Fig. 1 (a)), which enables communication between PDD 15 and notepad 10 via data bus 45. Both PDD retaining surface 20a and notepad retaining surface 20b can be folded towards each other, which bends flexible section 20c to orient the common base 20 into a folded position as shown in Fig. 2 (b). At least one tab 65, with an appropriate closure mechanism can be used to hold common base 20
25 in the folded position as shown in Fig. 2 (c). Fig. 2 (c) further shows a set of loops 70 defined on flexible portion 20c of common base 20. When common base 20 is folded, loops 70 form a space 70a. Space 70a can accommodate a cylindrical object such as pen 200 (Figs. 3 and 4). Common base 20 further includes an additional power supply retaining structure 75 adapted to retain batteries (not shown) or other power supply in a secure position defined on common base
30 20.

Figs. 3 (a) and 3 (b); 4 (a) and 4 (b) show embodiments of a pen 200 used in conjunction with embodiments of the present invention. U.S. Patent No. 5,434,371, issued to Brooks and incorporated herein by reference, teaches a hand-held electronic writing implement including a writing tip for marking a surface and a pressure sensor located at the writing tip for emitting a

pressure signal once the writing tip contacts the writing surface. Furthermore, U.S. Patent No. 5,635,682 issued to Cherdak et al. and incorporated herein by reference, teaches a wireless stylus and disposable stylus cartridge for use with a pen computing device. The hand-held electronic writing implement set forth in U.S. Patent No. 5,434,371 and the wireless stylus and disposable stylus cartridge set forth in U.S. Patent No. 5,635,682 can be adapted for use with embodiments of the present invention.

In an embodiment of the present invention, the pen 200 includes an ordinary writing tip 205 defined at a first end 206 of the pen, which writing tip 205 can write on paper pad 40 (Fig. 1 (a)), and rubber tip 210 or non-writing tip which makes no marks. More specifically and referring to Fig. 1 (a) as well as to Figs. 3 (a) and 3 (b), pen 200 includes body 215 and cap 220. The body 215 houses ink supply 225 connected to writing tip 205. Ink supply 225 and writing tip 205 can be comprised of many ordinary forms for pens, such as a replaceable cartridge with a ball point tip. Body 215 also houses electromechanical transmitter 230. Transmitter 230 provides a signal used by notepad 10 to determine the status and position of pen 200. The signal is frequency encoded to relay the status of writing tip 205 and a side switch (not shown). All frequencies are set within the frequency range of 335 to 500 kHz, and are assigned in a manner to allow enough tolerance to eliminate the need for tuning each pen 200. The status of writing tip 205 is determined by micro switching mechanism 235. Switching mechanism 235 is operable when writing tip 205 contacts paper pad 40. The pressure of writing tip 205 on paper pad 40 is sufficient to activate switch 235 and transmitter 230.

Non-writing tip 210 is retractably mounted in cap 220 and is adapted for use with the touch sensitive display 25a which is associated with PDD 15. When cap 220 is positioned over writing tip 205, non-writing tip 210 is retracted within cap 220 as shown in Fig. 3 (b). When cap 220 is positioned over second end 207 of pen 200, which is defined diametrically opposite from writing tip 221, second end 207 thereof cooperates with non-writing tip 210 to force non-writing tip 210 to extend outwardly from aperture 221 defined on cap 220 as shown in Figs 4 (a) and 4 (b). Therefore, when the user removes cap 220 from writing tip 205 to begin writing on notepad 10, the user can also position cap 220 over second end 207 of pen 200 to extend non-writing tip 210 outwardly from aperture 221 defined on cap 220, which non-writing tip 210 can be used to operate touch sensitive display 25a and/or control buttons 30a (Fig. 1 (a)) associated with PDD 15. Pen 200 can include a single AAA battery 240, which provides pen 200 with a 6-12 month average life.

During use of writing tip 205, writing tip 205 is pressed against paper-pad 40 for actuating micro-switch 235 to enable transmitter 230 to provide a signal. The signal provided by

transmitter 230 is communicated to the etched loops 36 defined on PCBA 35. The relative amplitudes of the received signals on individual etched loops 36 are used as inputs to algorithms (not shown) which determine writing tip's 205 relative location on paper-pad 40. Therefore, when a user composes handwritten data by moving writing tip 205 of pen 200 over paper-pad 40, the algorithms determine writing tip's 205 relative location on paper-pad 40. The relative locations of writing tip 205 are further processed to concomitantly reproduce and electronically display the handwritten data on display 25a associated with PDD 15. The electronically reproduced data can further be saved as an electronic file, which file can be retrieved at a later time. More simply stated, a user's hand written notes, which are written on paper-pad 40, are concomitantly displayed on touch sensitive display 25a associated with PDD 15. Thereafter, the user's handwritten notes can be electronically stored to and retrieved from memory which is associated with PDD 15.

Figs. 5 (a), 5 (b), 5 (c), and 5 (d) show various views of another embodiment of palm pad system 5b according to principles of the present invention. More specifically and referring to Fig. 5 (a), palm pad system 5b includes a conventional PDD 15b having a pivotal flip-down connection 17 to electronic notepad 10b. A flexible data communication bus (not shown) connected between PDD 15b and notepad 10b enables data communication between PDD 15b and notepad 10b. Fig. 5 (b) is a side view of palm pad system 5b. Fig. 5 (c) shows palm pad system 5b in a closed position. Fig. 5 (d) is an isometric view of palm pad system 5b positioned in a user's hand during use.

Referring to Fig. 6, another embodiment of the present invention includes the integration of electronic notepad 10c with laptop computer 300. Electronic notepad 10c can be coupled to a conventional processor (not shown) as well as conventional memory (not shown) contained within laptop computer 10c. Such a configuration allows a user to take handwritten notes on electronic notepad 10c and electronically store the notes in laptop computer 300. Thereafter, the stored notes can be retrieved and displayed on a screen 310 associated with laptop computer 300.

Referring to Fig. 7, another embodiment of the present invention includes a fully integrated palm pad system 5C. Integrated palm pad system 5C includes a substantially rigid housing 400 containing electronic notepad 10d and PDD 15d. Electronic notepad 10d is positioned adjacent to a first window defined on housing 400 and PDD 15d is positioned adjacent to a second window defined on housing 400. Although not shown in Fig. 7, the electronic notepad 10d and PDD 15d are coupled together by a data bus which operates in a similar manner as that previously described in earlier embodiments.

The above described palm pad system 5 has many advantages over the prior art such as enabling handwritten notes to be converted into an electronic file or pages which can be stored and/or retrieved in the memory of PDD 15. The electronic file can further be displayed on a touch sensitive display 25a associated with PDD 15.

- 5 The invention may be embodied in other specific forms without departing from the spirit or essential characteristics thereof. The present embodiments are therefore to be considered in respects as illustrative and not restrictive, the scope of the invention being indicated by the appended claims rather than by the foregoing description, and all changes which come within the meaning and range of the equivalency of the claims are therefore intended to be embraced
- 10 therein.

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
22